

Revision Release List
referred to on
EC-Type Examination 01/205/5988.00/25
Product tested: Safety function “Safe Torque Off”
(STO) integrated in the Safety Servo Drive CDHD2 MV

Type Designation	Description	Frame Size	STO Type	HW Revision	Report-No.:	Certification Status
CDHD2, Size 2A, 1.5A						
CDHD2-1D52AAPa*-bb* ccc*	CDHD2 STO-A3; 200VAC 1.5A Analogx	2A	STO_A3	PRDr9HPA01Mz-00 07	968/FSP 2767.00/25	Valid
CDHD2-1D52AAFa*-bb* ccc*	CDHD2 STO-A3; 200VAC 1.5A CAN Analogx	2A	STO_A3			Valid
CDHD2-1D52AECa*-bb* ccc*	CDHD2 STO-A3; 200VAC 1.5A EtherCAT Analogx	2A	STO_A3			Valid
CDHD2-1D52AEB2-bb* ccc*	CDHD2 STO-A3; 200VAC 1.5A EtherCATLite Analogx2	2A	STO_A3			Valid

Type Designation	Description	Frame Size	STO Type	HW Revision	Report-No.:	Certification Status
CDHD2, Size 2A, 3A						
CDHD2-0032AAPa*-bb* ccc*	CDHD2 STO-A3; 200VAC 3A Analogx	2A	STO_A3	PRDr9HPA03Mz-00 08	968/FSP 2767.00/25	Valid
CDHD2-0032AAFa*-bb* ccc*	CDHD2 STO-A3; 200VAC 3A CAN Analogx	2A	STO_A3			Valid
CDHD2-0032AECa*-bb* ccc*	CDHD2 STO-A3; 200VAC 3A EtherCAT Analogx	2A	STO_A3			Valid
CDHD2-0032AEB2-bb* ccc*	CDHD2 STO-A3; 200VAC 3A EtherCATLite Analogx2	2A	STO_A3			Valid

Type Designation	Description	Frame Size	STO Type	HW Revision	Report-No.:	Certification Status
CDHD2, Size 2B, 4.5A						
CDHD2-4D52AAPa*-bb* ccc*	CDHD2 STO-A3; 200VAC 4.5A Analogx	2B	STO_A3	PRDr9HPA06Mz-00 06	968/FSP 2767.00/25	Valid
CDHD2-4D52AAFa*-bb* ccc*	CDHD2 STO-A3; 200VAC 4.5A CAN Analogx	2B	STO_A3			Valid
CDHD2-4D52AECa*-bb* ccc*	CDHD2 STO-A3; 200VAC 4.5A EtherCAT Analogx	2B	STO_A3			Valid

Revision Release List
referred to on
EC-Type Examination 01/205/5988.00/25
Product tested: Safety function “Safe Torque Off”
(STO) integrated in the Safety Servo Drive CDHD2 MV

Type Designation	Description	Frame Size	STO Type	HW Revision	Report-No.:	Certification Status
CDHD2-4D52AEB2-bb* ccc*	CDHD2 STO-A3; 200VAC 4.5A EtherCATLite Analogx2	2B	STO_A3			Valid

Type Designation	Description	Frame Size	STO Type	HW Revision	Report-No.:	Certification Status
CDHD2, Size 2B, 6A						
CDHD2-0062AAPa*-bb* ccc*	CDHD2 STO-A3; 200VAC 6A Analogx	2B	STO_A3	PRDr9HPA06Mz-00 06	968/FSP 2767.00/25	Valid
CDHD2-0062AAFa*-bb* ccc*	CDHD2 STO-A3; 200VAC 6A CAN Analogx	2B	STO_A3			Valid
CDHD2-0062AECa*-bb* ccc*	CDHD2 STO-A3; 200VAC 6A EtherCAT Analogx	2B	STO_A3			Valid
CDHD2-0062AEB2-bb* ccc*	CDHD2 STO-A3; 200VAC 6A EtherCATLite Analogx2	2B	STO_A3			Valid
CDHD2-0062AEC2-GE	CDHD2 STO-A3; 200VAC 6A Analogx for GE	2B	STO_A3			Valid

Type Designation	Description	Frame Size	STO Type	HW Revision	Report-No.:	Certification Status
CDHD2, Size 2C, 8A						
CDHD2-0082AAPa*-bb* ccc*	CDHD2 STO-A3; 200VAC 8A Analogx	2C	STO_A3	PRDr9HPA13Mz-00 07	968/FSP 2767.00/25	Valid
CDHD2-0082AAFa*-bb* ccc*	CDHD2 STO-A3; 200VAC 8A CAN Analogx	2C	STO_A3			Valid
CDHD2-0082AECa*-bb* ccc*	CDHD2 STO-A3; 200VAC 8A EtherCAT Analogx	2C	STO_A3			Valid
CDHD2-0082AEB2-bb* ccc*	CDHD2 STO-A3; 200VAC 8A EtherCATLite Analogx2	2C	STO_A3			Valid

Revision Release List
referred to on
EC-Type Examination 01/205/5988.00/25
Product tested: Safety function “Safe Torque Off”
(STO) integrated in the Safety Servo Drive CDHD2 MV

Type Designation	Description	Frame Size	STO Type	HW Revision	Report-No.:	Certification Status
CDHD2, Size 2C, 10A						
CDHD2-0102AAPa*-bb* ccc*	CDHD2 STO-A3; 200VAC 10A Analogx	2C	STO_A3	PRDr9HPA13Mz-00 07	968/FSP 2767.00/25	Valid
CDHD2-0102AAFa*-bb* ccc*	CDHD2 STO-A3; 200VAC 10A CAN Analogx	2C	STO_A3			Valid
CDHD2-0102AECa*-bb* ccc*	CDHD2 STO-A3; 200VAC 10A EtherCAT Analogx	2C	STO_A3			Valid
CDHD2-0102AEB2-bb* ccc*	CDHD2 STO-A3; 200VAC 10A EtherCATLite Analogx2	2C	STO_A3			Valid

Type Designation	Description	Frame Size	STO Type	HW Revision	Report-No.:	Certification Status
CDHD2, Size 2C, 13A						
CDHD2-0132AAPa*-bb* ccc*	CDHD2 STO-A3; 200VAC 13A Analogx	2C	STO_A3	PRDr9HPA13Mz-00 07	968/FSP 2767.00/25	Valid
CDHD2-0132AAFa*-bb* ccc*	CDHD2 STO-A3; 200VAC 13A CAN Analogx	2C	STO_A3			Valid
CDHD2-0132AECa*-bb* ccc*	CDHD2 STO-A3; 200VAC 13A EtherCAT Analogx	2C	STO_A3			Valid
CDHD2-0132AEB2-bb* ccc*	CDHD2 STO-A3; 200VAC 13A EtherCATLite Analogx2	2C	STO_A3			Valid

Type Designation	Description	Frame Size	STO Type	HW Revision	Report-No.:	Certification Status
CDHD2, Size 2D, 20A						
CDHD2-0202AAPa*-bb* ccc*	CDHD2 with STO; 200VAC 20A Analogx	2D	STO_B	PRDr9HPA24Mz-00 11	968/FSP 2767.00/25	Valid
CDHD2-0202AAFa*-bb* ccc*	CDHD2 with STO; 200VAC 20A CAN Analog	2D	STO_B			Valid
CDHD2-0202AECa*-bb* ccc*	CDHD2 with STO; 200VAC 20A EtherCAT Analogx	2D	STO_B			Valid
CDHD2-0202AEB2-bb* ccc*	CDHD2 with STO; 200VAC 20A EtherCATLite Analogx2	2D	STO_B			Valid



Revision Release List
referred to on
EC-Type Examination 01/205/5988.00/25
Product tested: Safety function “Safe Torque Off”
(STO) integrated in the Safety Servo Drive CDHD2 MV



Revision Release List
referred to on
EC-Type Examination 01/205/5988.00/25
Product tested: Safety function “Safe Torque Off”
(STO) integrated in the Safety Servo Drive CDHD2 MV

Type Designation	Description	Frame Size	STO Type	HW Revision	Report-No.:	Certification Status
CDHD2, Size 2D, 24A						
CDHD2-0242AAPa*-bb* ccc*	CDHD2 with STO; 200VAC 24A Analogx	2D	STO_B	PRDr9HPA24Mz-00 11	968/FSP 2767.00/25	Valid
CDHD2-0242AAFa*-bb* ccc*	CDHD2 with STO; 200VAC 24A CAN Analogx	2D	STO_B			Valid
CDHD2-0242AECa*-bb* ccc*	CDHD2 with STO; 200VAC 24A EtherCAT Analogx	2D	STO_B			Valid
CDHD2-0242AEB2-bb* ccc*	CDHD2 with STO; 200VAC 24A EtherCAT Lite Analogx2	2D	STO_B			Valid

* where:

- **a**= represents the number of analog input (either 1 or 2)
- **bb**= [blank] or [RO] represents the motor type option
- **ccc**= [blank] or [selected alphanumeric digits] for special options.

The above has been agreed between the manufacturer, the certifier and the test institute.

Document Revision:

Date	Rev.	Description / Changes	Author
2025-01-09	1.0	Initial creation, based on Report-No.: 968/FSP 2767.00/25	mm/968