

No. N8A 098467 0001 Rev. 01

Holder of Certificate: Guangdong Midea Intelligent Technology Co., Ltd.
Area A, 2/F, Building 4
Midea Global Innovation Center
Penglai Road, Industrial Avenue, Beijiao Town
Shunde
528311 Foshan, Guangdong
PEOPLE'S REPUBLIC OF CHINA

Product: Electric Motors
(AC Servo Motor)

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance.
It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

Test report no.: 64105160252503

Date, 2019-07-08

Boris Ouyang
(Boris Ouyang)



Product Service

Attestation of Conformity

No. N8A 098467 0001 Rev. 01

Model(s):

**L-02aabcde/ PH2-L06A230w5xyz,
M-02aabcde/ PH2-M06A230w5xyz,
R-02aabcde/ PH2-R06A230w5xyz,
M-04aabcde/ PH2-M06B230w5xyz,
L-04aabcde/ PH2-L06B230w5xyz,
R-04aabcde/ PH2-R06B230w5xyz,
R-06aabcde/ PH2-R08A230w5xyz,
R-08aabcde/ PH2-R08B230w5xyz,
L-08aabcde/ PH2-L08A230w5xyz,
M-08aabcde/ PH2-M08A230w5xyz**

[Description the rule of the designation:

L-02aabcde

aa: Encoder type—can be

E0, E1, E2, E3, E4, E5, E6,

XX (Customized, X can refer to 0-9 or A-Z)

b: Type of shaft—can be

S(Smooth, threaded hole) or

K(Keyed, threaded hole) or

X(Customer order specification);

c: Type of configuration— can be

1(Without oil seal and without brake),

2(Without oil seal and with brake),

3(With oil seal and with brake),

4(With oil seal and without brake);

d: Basic series— can be

A(AC220V),

H(AC400V),

D(DC48V);

e: Custom serial number—can be

0(General Motors),

L(Low Cost Motor)

PH2-M06A230w5xyz

w: Shaft & Oil seal—can be

0(Smooth),

1(Smooth and Oil Seal),

2(Keyed),

3(Keyed and Oil Seal),

4(Customized),

5(Customized and Oil Seal)

x: Feedback Device—can be S3, M3, T1, T2, T3, T4, R1, R5

y: Brake—can be

0(No brake),

1(With brake)

z: Connector—can be

D(Amp connector),

A(MIL connector),

M(MOLEX connector)]

Page 2 of 3

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

No. N8A 098467 0001 Rev. 01

Rated voltage:	220Va.c.
Rated frequency:	250Hz
Rated output:	200W, 200W, 200W, 400W, 400W, 400W, 600W, 750W, 750W, 750W
Duty class:	S1
Rated speed:	3000r/min
Class of equipment:	Class I
IP degree:	IP65

EN 60034-1:2010
EN 60034-5:2001/A1:2007